



## **ADA Code Considerations for Specimen Collection and Laboratory Testing**

The CDT codes provided are based on ADA guidelines and are for informational purposes only. CDT coding is the sole responsibility of the billing party. Please direct any questions regarding coding to the payer being billed.

### **Consider For Use with MyPerioPath®:**

**D0417 "Collection and preparation of saliva sample for laboratory diagnostic testing"**

**D0418 "Analysis of saliva sample – Chemical or biological analysis of saliva sample for diagnostic purposes"**

### **Consider For Use with MyPerioID® PST®:**

**D0417 "Collection and preparation of saliva sample for laboratory diagnostic testing"**

**D0421 "Genetic test for susceptibility to oral diseases – Sample collection for the purpose of certified laboratory analysis to detect specific genetic variations associated with increased susceptibility for oral diseases such as severe periodontal disease"**

### **Consider For Use with OraRisk<sup>SM</sup> HPV:**

**D0417 "Collection and preparation of saliva sample for laboratory diagnostic testing"**

**D0416 "Viral Culture – A diagnostic test to identify viral organisms--most often herpes virus"**

**D0418 "Analysis of saliva sample – Chemical or biological analysis of saliva sample for diagnostic purposes"**

**D0431 "Adjunctive pre-diagnostic test that aids in detection of mucosal abnormalities including premalignant and malignant lesions, not to include cytology or biopsy procedures"**